

line 18, delete "due" insert -- with respect --;
line 20, after "also" insert -- to --;
line 21, after "increase" insert -- the number
of --, delete "in number".

Page 2, line 5, delete "are", after "typically" insert
-- have been --, delete "a" insert -- the --;
line 6, after "chip" insert -- being --;
line 8, delete "mount" insert -- the mounting --,
delete "with" insert -- wherein --;
line 9, after "carriers" insert -- are --;
line 11, delete "disclosed" insert -- described --;
line 13, delete "teaches" insert -- discloses --;
line 17, delete "thinner";
line 18, after "carrier" insert -- thinner --,
delete "a" insert -- the same --;
line 20, delete "the" insert -- a --;
line 21, delete the comma insert -- . The stiffener
is --;
line 23, delete "contacted" insert -- in contact --,
after "as" insert -- a --;
line 25, after "for" insert -- providing a --.

Page 3, line 5, delete "incapability of achieving any
intended --;
line 7, delete "is" insert -- has been --;
line 8, delete "activities made", after "the"
(first occurrence) insert -- present --, delete
"named in the";

line 9, delete "subject application for patent",
 after "which" insert -- TCP structure --;
 line 11, delete "the" insert -- a --;
 line 16, after "such" insert -- a --;
 line 18, delete "prior art", delete "is" insert
 -- has --;
 line 19, delete "with", delete "which follows: The"
 insert -- in that the --;
 line 20, after "of" insert -- the --;
 line 23, delete "the" (second occurrence);
 line 24, delete "prior art" insert -- this TCP
 structure --;
 line 25, after "eliminating" insert -- the --.
 Page 4, line 3, delete ": The" insert -- in that the --,
 delete "increases" insert -- is increased --, after
 "thickness" insert -- , thereby --;
 line 5, after "such" insert -- a --, delete "their
 intended" insert -- a desired --;
 line 8, delete "which" insert -- and --;
 line 9, delete "neither" insert -- not --, after
 "as" insert -- a --;
 line 15, after "the" (first occurrence) insert
 -- present --, delete "of the subject patent";
 line 16, delete "application", before
 "semiconductor" insert -- the --, delete "used
 therein";
 line 19, before "outer" insert -- the --;
 line 20, delete "the" insert -- a --;

line 22, delete "mount" insert -- mounting --;
 line 25, after "of" insert -- the --.

Page 5, line 3, after "of" insert -- various --;
 line 6, after "levels" insert a comma;
 line 7, after "case" insert a comma;
 line 17, after "enabling" insert -- the --;
 line 19, after "structure" insert -- which is --;
 line 23, after "reliability" insert a comma.

Page 6, line 2, after "of" insert -- various --;
 line 12, delete "less" insert -- smaller --;
 line 14, delete "letting" insert -- to allow --;
 line 15, after "chip" insert -- to --;
 line 24, delete "a" insert -- the --.

Page 7, line 4, delete "remain" insert -- be subjected to
 a --, delete "in";
 line 5, delete "receival of", after "suppress"
 insert -- the --;
 line 6, delete "of" insert -- in --;
 line 18, delete "resultant";
 line 21, after "suppress" insert -- the --;
 line 22, delete "such" insert -- the --, delete
 "used --;
 line 25, delete "as", delete "letting" insert
 -- to allow --.

Page 8, line 1, after "carrier" insert -- to --;
 line 7, delete "of" (first occurrence) insert
 -- in the --;
 line 14, after "with" insert -- the --;

line 15, after "resin" insert -- coating --;
line 19, after "of" insert -- the --;
line 20, after "and" insert -- the --;
line 25, after "in" insert -- the --.

Page 9, line 2, delete "smoother";
line 3, after "chip" insert -- smoother --, after
"offer" insert -- a --;
line 10, delete "less" insert -- which is
smaller --;
lines 11, 12 and 16, delete "said";
line 18, delete "of";
line 19, after "said" insert -- laminated --,
delete "laminated --";
line 24, delete "mount" insert -- mounting --.

Page 10, line 1, delete "the" insert -- a --;
line 2, after "increasing" insert -- the --;
line 3, after "of" insert -- the --;
line 7, after "another" insert a comma, delete
"expose" insert -- be exposed, --;
line 9, delete "inside of", after "hole" insert
a comma, delete "burying";
line 10, after "material" insert -- is buried --,
delete "letting" insert -- to allow --;
line 12, after "carrier" insert -- to --;
line 21, after "another" insert a comma;
line 22, after "exposed" insert a comma, after "to"
insert -- the --;

line 23, after "hole" insert a comma, delete
 "letting" insert -- allowing --;
 line 25, after "carrier" insert -- to --.

Page 11, line 1, after "of" insert -- the --;
 line 12, delete "letting" insert -- allowing --;
 line 14, after "carrier" insert -- to --;
 line 16, delete "mount" insert -- mounting --;
 line 22, delete "let" insert -- allow --;
 line 24, after "another" insert -- to --;
 line 25, delete "said".

Page 12, line 1, delete "being" insert -- which is --;
 line 3, before "tape" insert -- laminated --;
 line 4, delete "laminated";
 line 6, delete "said";
 line 8, after "of" insert -- the --;
 line 9, after "reducing" insert -- the --;
 line 12, delete "mount" insert -- the mounting --;
 line 14, delete "the" insert -- a --;
 line 19, delete "same";
 line 23, delete "is arranged to".

Page 13, line 1, delete "letting" insert -- to allow --,
 after "lead" insert -- to --;
 line 12, delete "let" insert -- allow --;
 line 14, after "carriers" insert -- to --;
 line 19, after "addition," insert -- the method
 of manufacture of --;
 line 21, delete "by adhesive";

line 22, after "another" insert -- using an adhesive --.

Page 14, line 3, delete "make" insert -- dispose --, delete "contacted" insert -- in contact --;
line 7, delete "suffering from", after "in" (first occurrence) insert -- the number of --, delete "step number in" insert -- steps in --;
line 12, delete "contacted" insert -- disposed in contact --;
line 24, delete "less" insert -- which is smaller --.

Page 15, line 2, after "chip" insert -- which is --;
line 11, after "using" insert -- a --, delete "a" insert -- one --;
line 18, after "of" insert -- the --.

Page 17, line 25, delete "eliminated" insert -- avoided --.

Page 18, line 5, after "2" insert a comma;
line 11, delete "the".

Page 19, line 3, delete "A" insert -- The --;
line 5, after "of" (first occurrence) insert -- the --;
line 7, after "less" insert a comma;
line 12, delete "the" insert -- a --.

Page 20, line 4, after "words" insert a comma;
line 7, delete "surfaces";
line 8, delete "of" (first occurrence);
line 10, delete "risks" insert -- the risk --;

line 14, after "runner" insert a comma, after
 "indicates" insert -- a --;
 line 24, after "1c;" insert -- and, the --.

Page 21, line 6, delete "the";
 line 12, delete "incapability of" insert
 -- inability to perform --;
 line 14, delete "used";
 line 17, after "between" insert -- the --;
 line 21, delete "its".

Page 22, line 1, delete "inside of";
 line 10, after "by" insert -- means of an --;
 line 24, delete "contacted" insert -- in
 contact --.

Page 23, line 6, after "including" insert -- a --;
 line 7, delete "laid" insert -- located --;
 line 8, delete "mount" insert -- mounting --;
 line 10, after "of" insert -- a --;
 line 11, after "such" insert -- a --;
 lines 15 and 25, after "embodiment" insert a comma;
 line 25, delete "less" insert -- smaller --.

Page 24, line 1, delete the colon insert a period;
 line 8, delete "at" insert -- to --;
 line 17, after "are" insert -- used --;
 line 22, delete "its" insert -- an --.

Page 25, line 3, delete "in a way which" insert -- as --,
 delete the colon insert a period;
 line 10, after "to" insert -- the --, after "of"
 insert -- the --;

line 12, after "after" insert -- the --;
 line 19, after "of" insert -- the --, delete "a"
 insert -- the --;
 line 21, delete "a" insert -- the --;
 line 22, after "words" insert a comma;
 line 25, after "when" insert -- an --.

Page 26, line 6, delete "risks" insert -- the risk --;
 line 7, delete "when" insert -- during --;
 line 11, delete "the" (first occurrence) insert
 -- a --;
 line 17, delete "the" (first occurrence) insert
 -- a plane --, delete "plane", after "the" (second
 occurrence) insert -- principle surface of the --;
 line 18, delete "'s principal surface".

Page 27, line 8, after "mold" insert -- or other --, delete
 "or else";
 line 12, delete "below";
 line 13, delete "form", after "1a1" insert -- is
 formed --;
 line 16, delete "adhere", after "example," insert
 -- is adhered --;
 line 25, delete "fabricate on" insert -- a solder
 resist 1d is fabricated on one surface of --.

Page 28, line 1, delete "'s one surface a solder resist 1d";
 line 2, delete "letting" insert -- allowing --;
 line 3, delete "use";
 line 4, after "1d" insert -- is used --;
 line 9, after "of" insert -- the --;

line 14, delete "semiconductor chip 2's";
 line 15, after "1c" insert -- of the semiconductor
 chip 2 --, after "2a" insert -- are bonded --;
 line 18, delete "let";
 line 19, delete "be received" insert -- is
 placed --;
 line 20, before "then," insert -- and --, delete
 "inject";
 line 22, after "5" insert -- is injected --;
 line 25, delete "tape base 1a's", after "1a1" insert
 -- of the tape base 1a --.
 Page 29, line 12, delete "take", after "TCP" insert -- is
 taken --;
 line 24, after "embodiment" insert a comma, after
 "and" insert -- the --.
 Page 30, line 1, delete "seal";
 line 2, delete "resin 3's", after "surfaces" insert
 -- of the seal resin 3 --;
 line 7, before "then," insert -- and --;
 line 8, delete "let";
 line 9, after "alloy" insert -- are allowed to --;
 line 12, delete "several" insert -- the
 following --;
 line 13, delete "which follow";
 line 14, delete "Letting" insert -- Allowing --,
 delete "coating" insert -- to coat --;
 line 21, after "the" insert -- stress neutral plane
 of the --, delete "2's stress";

line 22, delete "neutral plane";
 line 24, after "minimal" insert a comma.
 Page 31, line 3, after "of" insert -- an --, after "force"
 insert a comma, delete "warp" insert -- warping --;
 line 5, delete "risks" insert -- the risk --;
 lines 7 and 23, delete "when" insert -- during --;
 line 18, after "at" insert -- a --;
 line 21, after "and" insert -- at --.
 Page 32, line 7, after "enables" insert -- the --, after
 "offer" insert -- an --;
 line 11, after "of" (second occurrence) insert
 -- the --;
 line 12, delete "let" insert -- allow --;
 line 13, after "TCP" insert -- to --, after "be"
 insert -- equal to --;
 line 21, after "as" insert -- that of --, delete
 "said" insert -- first --.
 Page 33, line 2, after "thickness" insert -- direction --,
 delete "a" insert -- the --;
 line 9, delete "semiconductor chip 2's", after
 "A1" insert -- of the semiconductor chip 2 --;
 line 12, delete "or";
 line 14, delete "resulted" insert -- resulting --;
 line 16, after "including" insert a comma, after
 "to" insert a comma;
 lines 17 and 18, after "of" insert -- the --.
 Page 34, lines 8 and 10, delete "contacted" insert -- in
 contact --;

line 10, after "via" insert -- an --;
 line 16, delete "little" insert -- slightly --;
 line 24, delete "lead 1c's bend", after "amount"
 insert -- of bend of the lead 1c --;
 line 25, delete "semiconductor chip 2's", after
 "A1" insert -- of the semiconductor chip 2 --.

Page 35, line 3, delete "else" insert -- otherwise --;
 line 15, after "in" insert -- the fact --;
 line 18, delete "contacted" insert -- in contact --;
 line 25, after "1a" insert -- so as --.

Page 36, line 1, delete "said" insert -- the --;
 line 9, after "in" insert -- a --;
 line 14, delete "of", after "and" insert -- the --;
 line 15, delete "letting" insert -- allowing --;
 line 16, before "be" insert -- to --;
 line 18, delete "its" insert -- a --;
 line 19, after "of" (second occurrence) insert
 -- the --.

Page 37, line 13, delete "a" insert -- the --;
 line 16, after "embodiment" insert a comma;
 line 20, delete "each TCP's same" insert -- the
 corresponding --;
 line 21, after "1c" insert -- of each TCP --;
 line 22, after "6" insert a comma;
 line 23, after "of" (both occurrences) insert
 -- the --.

Page 38, line 10, after "6" insert -- mentioned --;
 line 19, delete "of it" insert -- thereof --;

line 22, after "facilitate" insert -- an
 arrangement such --;
 line 23, after "into" insert -- the --.

Page 39, line 1, after "of" insert -- a --;
 line 5, after "structure" insert a comma;
 line 12, delete "in" insert -- a --, delete "a";
 line 18, delete "form";
 line 19, after "techniques" insert a comma;
 line 20, after "6a" insert -- are formed --;
 line 22, delete "bond", after "example" insert
 -- is bonded --;
 line 23, delete "the" (second occurrence);
 line 24, after "thereto;" insert -- and --, delete
 "pattern";
 line 25, after "film" insert -- is patterned --.

Page 40, line 3, delete "less" insert -- smaller --;
 line 5, delete "provide";
 line 7, after "resin" insert -- is provided --,
 before "thin," insert -- and --;
 line 8, delete "remove", after "1e" insert -- is
 removed --;
 line 11, delete "use", after "1e" insert -- is
 used --;
 line 15, delete "place", after "2" insert -- is
 placed --;
 line 17, delete "perform", after "alignment" insert
 -- is performed --, delete "semiconductor";

line 18, delete "chip 2's", after "1c" insert
-- of the semiconductor chip 2 --;
line 19, delete "contact", after "2a" insert
-- are brought into contact --;
line 22, delete "place";
line 23, after "2" insert -- is placed --;
line 24, before "then," insert -- and --, delete
"inject".

Page 41, line 1, before "into" insert -- is injected --,
delete "as";
line 2, delete "tape base 1a's", after "1a1" insert
-- of tape base 1a --;
line 13, delete "or else";
line 14, delete "take", delete "out of" insert
-- is removed from --;
line 19, after "between" insert -- a --;
line 21, delete "away".

Page 42, line 4, delete "seal";
line 5, delete "resin 3's", after "surfaces"
insert -- of the seal resin 3 --;
line 10, before "then," insert -- and --;
line 11, delete "lamine", after "21" insert a
comma;
line 13, after "supra" insert -- are laminated --;
line 14, delete "letting" insert -- arranging --,
after "6a" insert -- to --;
line 20, delete "use";

line 21, after "TCPs" insert -- is used --, delete
"contact" insert -- join --;
line 24, delete "To make long story" insert
-- In --.

Page 43, line 5, delete "fill" insert -- the --, after
"of" (second occurrence) insert -- the --;
line 6, after "TCP" insert -- is filled --;
line 7, after "materials;" insert -- and, --;
line 13, delete "let";
line 14, after "example" insert -- are brought
into --, after "contact" insert -- with --;
line 16, delete "manufacturing" insert
-- completing --;
line 17, delete "insert -- a --";
line 18, delete "of" insert -- according to --.

Page 44, line 7, after "increasing" insert -- the --;
line 13, delete "of it";
line 15, delete "below";
line 16, after "manufacture" insert -- of --;
line 17, after "TCP" insert -- is effected --;
line 18, delete "as defined to" insert -- which --;
line 21, delete "use";
line 25, delete "lamine".

Page 45, line 1, after "TCPs" insert -- are laminated --;
line 3, delete "temporarily secure";
line 4, after "TCPs" insert -- are temporarily
secured --;
line 5, delete "such" insert -- the --;

line 13, delete "solder paste 6b1";
line 15, after "TCPs" insert -- to --;
line 20, delete "let";
line 21, delete "or else be in" insert -- are
brought into --;
line 25, delete "the" (first occurrence) insert
-- a --, delete "of" insert -- according to --.

Page 46, line 7, delete "a" insert -- the --;
line 9, after "as" insert -- shown in --, after
"in" insert -- the --;
line 10, delete "said" insert -- the --;
line 11, after "embodiment" insert -- , the seal
resin 3 of --, delete "TCP's" insert -- TCP --;
line 12, delete "seal resin 3";
line 16, delete "stated" insert -- mentioned --;
line 18, delete "layer's" insert -- layer of --;
line 23, after "embodiment" insert -- as
described --.

Page 47, line 8, delete "of" insert -- for the --, delete
"in" insert -- of --;
line 9, delete "is" insert -- are --;
line 10, after "explained" insert -- above --;
line 11, before "any" insert -- and --;
line 15, after "2" insert -- is placed --, after
"1a;" insert -- and --;
line 19, delete "letting" insert -- to cause --,
after "2a" insert -- to --;
line 22, delete "use";
line 23, after "1e" insert -- is used --;

line 24, after "by" insert -- a --;
 line 25, delete "methods" insert -- method --.
 Page 48, line 4, delete "extending" insert -- to extend --,
 delete "the" insert -- a --;
 line 9, after "1c1" insert -- to --;
 line 10, delete "place";
 line 11, after "1" insert -- are placed --;
 line 12, delete "is of the" insert -- has a --;
 line 14, after "1" insert -- being --;
 line 15, delete "inject";
 line 16, after "to" insert -- the --;
 line 17, before "into" insert -- is injected --,
 delete "as", after "the" insert -- device hole
 1a1 of the --;
 line 18, delete "1a's device hole 1a1" insert
 -- 1a --.
 Page 49, line 1, after "5" insert -- to --;
 line 2, after "of" insert -- the --;
 line 4, delete "the" (first occurrence) insert
 -- a --;
 line 6, delete "or";
 line 7, delete "else";
 line 8, after "words" insert a comma;
 line 10, delete "the" insert -- a --;
 line 13, delete "unload" insert -- the resulting
 TCP is removed --, delete "the resulting";
 line 14, delete "TCP";
 line 21, delete "away";

line 23, after "way" insert a comma;
line 24, delete "by" insert -- using --;
line 25, delete "a" insert -- one --.

Page 50, line 1, delete "of";
line 4, delete "in" insert -- with the --;
line 5, delete "with" insert -- of --;
line 9, before "then," insert -- and --, delete
"fill";
line 10, after "TCP" insert -- are filled --;
line 13, delete "apply", after "processing"
insert -- is applied --;
line 16, before "then," insert -- and --, delete
"let";
line 17, delete "be contacted" insert -- are placed
in contact --;
line 21, delete "the" (first occurrence) insert
-- a --, delete "of" insert -- according to --;
line 23, delete "above".

Page 51, line 4, delete "each for use" insert -- used --;
line 5, before "it" insert -- and so --;
line 12, after "reduction" insert -- in the
number --;
line 13, delete "in number";
line 15, delete "another," insert -- an --;
line 19, delete "a" insert -- the --;
line 22, delete "the" (first occurrence);
line 25, delete "said" insert -- the --, delete
"stated" insert -- described --.

Page 52, line 1, delete "supra" insert -- above --;
line 5, delete the colon insert --. In this
regard, --;
line 9, delete "shows" insert -- indicates --,
delete "is" insert -- denotes --;
line 10, delete " "WE," insert -- "WE" denotes --;
line 11, delete " "OE," " insert -- "OE" denotes --,
after "signal;" insert -- and --, before "an"
insert -- denotes --;
line 13, delete "shown" insert -- described --;
line 19, before "certain" insert -- a --, delete
"such" insert -- the --;
line 22, after "words" insert a comma;
line 23, delete "select" insert -- selection --.

Page 53, line 2, delete "one" insert -- electrode --,
after "2a," insert -- and --;
line 4, after "embodiment," insert -- the --;
line 14, delete "of" insert -- the --;
line 17, delete "as taken" insert -- required --;
line 18, after "reducing" insert -- the --;
line 20, after "on" insert -- the --;
line 24, after "of" insert -- the --.

Page 54, line 4, delete "letting" insert -- allowing --,
after "1c" insert -- to --;
line 5, delete "contacted" insert -- in contact --;
line 22, delete "another," insert -- a --.

Page 55, line 2, delete "the" insert -- a --;
line 4, delete "used";

line 6, delete "another," insert -- a --;
line 11, delete "the" insert -- a --;
line 13, delete "used";
line 15, delete "another," insert -- an --;
line 23, after "6c" insert -- is --, delete
"connects" insert -- connected --;
line 25, delete "of" (first occurrence) insert
-- on --.

Page 56, line 1, delete "its";
line 2, delete "Summarizedly" insert -- In
summary --;
lines 4 and 8, delete "mount" insert -- mounting --;
line 7, delete "letting" insert -- allowing
the --;
line 13, delete "Letting" insert -- Allowing --,
after "terminals" insert -- to --;
line 22, delete "another," insert -- a --;
line 25, delete "these are projected" insert
-- they project --.

Page 57, line 1, after "of" insert -- the --;
line 5, delete "mount" insert -- mounting --;
line 7, after "exhibit" insert -- a --;
line 12, delete "mount";
line 19, delete "lamine and bond";
line 20, delete "together", after "TCPs" insert
-- are laminated and bonded together --;
line 23, delete "procedures", delete "straightly"
insert -- straight --;

line 25, delete "press from the upward direction".

Page 58, line 1, delete "against", delete "straightly" insert
 -- straight --, after "from" insert -- the --;
 line 3, after "TCP" insert -- are pressed from the
 upward direction --;
 line 4, delete "a" insert -- one --, delete "the"
 insert -- a --;
 line 5, delete "such leads lc's" insert -- the --,
 after "ends" insert -- of the leads lc --;
 line 7, delete "cut away";
 line 8, after "process" insert -- are cut away --,
 delete "letting" insert -- causing --;
 line 9, after "lc" insert -- to --;
 line 18, delete "costs" insert -- cost --;
 line 25, delete "another," insert -- a --.

Page 59, line 16, delete "in" insert -- to effect --;
 line 17, delete "flowing" insert -- allowing --;
 line 18, after "resin" insert -- to flow --;
 line 19, after "to" insert -- the --;
 line 20, after "words" insert a comma;
 line 23, delete "that" insert -- for --, delete
 "contains" insert -- to contain --;
 line 25, after "suppress" insert -- the --.

Page 60, line 6, after "that" insert -- the --;
 line 12, delete "lead lc's";
 line 13, after "lc1" insert -- of the lead lc --;
 line 23, delete "residence of".

Page 61, line 9, after "thereof" insert --; however --;